DESIGN

RETURN TO
DESIGN DIV.
PATENT OFFICE
APR 9 1952
DESIGN DIVISION

Garton

TOY COMPANY

SHEBOYGAN
WISCONSIN

APR 1 1952
U.S. PATENT OFFICE

RETURN TO
DESIGN DIV.

1952

E-10A

VELOCIPEDES
PARK CYCLES
AUTOMOBILES
BABY WALKERS
PEDAL BIKES
SLEDS.....
WAGONS....
SCOOTERS..

Wheel Goods Manufacturers Since 1879



1325

1314

PATENT OFFICE
APR 9 1952
DESIGN DIVISION

LIBRARY
APR 1 1952
U S PATENT OFFICE

1314

BOX—Heavy kiln dried lumber. 12x28x3 inches, reinforced with cleats. Sides mortised to bottom. Ends drawn together with box rods.

GEAR—Stamped from heavy steel, with fifth wheel. Equipped with tubular steel handle.

WHEELS—7 inch disc, with Hercules bearing of cold rolled steel.

TIRES—1.25 inch molded semi-pneumatic.

FINISH—Box natural varnish. Racks and wheels red, decorated white. Gear and handle aluminum.

PACKING—One in carton.

WEIGHT—26 pounds.

1325

BOX—Heavy kiln dried lumber. 16x36x3 inches, reinforced with cleats. Sides mortised to bottom. Ends drawn together with box rods.

GEAR—Stamped from heavy steel, with fifth wheel. Equipped with tubular steel handle.

WHEELS—10 inch artillery with easy-rolling nylon bearing.

TIRES—1.75 inch puncture proof semi-pneumatic.

FINISH—Box natural varnish. Front racks red. Wheels red, decorated white. Gear and handle aluminum.

PACKING—One in carton.

WEIGHT—39 pounds.



1328



1436

1328

BOX—Heavy kiln dried lumber, 16x45x3 inches, reinforced with cleats. Sides mortised to bottom. Ends mortised to sides. Ends drawn together with box rods.

GEAR—Stamped from heavy steel, with fifth wheel.

WHEELS—Precision Ball Bearing double disc, 8½ inch front, 10 inch dual wheel with double tire in rear.

TIRES—1 inch rubber.

EQUIPMENT—Tubular steel handle with rubber grip.

FINISH—Box natural varnish. Racks red. Wheels red, striped white.

PACKING—One in carton.

WEIGHT—50 pounds.

1436

BOX—Heavy kiln dried lumber 16x36 inches, reinforced with cleats. Tapered sides. Ends mortised to sides.

GEAR—Stamped from heavy auto body steel, with fifth wheel.

WHEELS—10 inch artillery with easy-rolling nylon bearing.

TIRES—1.50 inch puncture-proof semi-pneumatic.

FINISH—Bottom of box finished in varnish, sides finished in red, stencilled in white. Gear and handle finished aluminum. Wheels red, striped white.

PACKING—One in carton.

WEIGHT—30 pounds.

WAGONS . . . .

3630 Series

3210

PATENT OFFICE
APR 9 1952
DESIGN DIVISION

3210

FRAME—⅞ inch tubing, single bar type with stamped embossed rear step plate. New improved clip on fork for easy assembly.

WHEELS—Wire spoke. 10 inch pedal wheel. 7 inch rear wheels.

PEDALS—One piece rubber.

TIRES—⅝ inch rubber.

EQUIPMENT—½ inch solid handle bar. Large metal saddle.

FINISH—Frame red. Handle bar and wheels white.

PACKING—Three in carton.

WEIGHT—26 pounds per carton.

3630-3631

FRAME—1¼ inch tubing, single bar type with new embossed step plate. 2 inch head.

WHEELS—Wire spoke. Nylon bearing pedal wheel.

PEDALS—One piece block rubber.

TIRES—⅝ inch rubber.

EQUIPMENT—½ inch solid one-way adjustable handle bar. Adjustable metal saddle. Fender.

FINISH—Frame and fender red. Handle bar and wheels white. Saddle black.

PACKING—Three in carton.

No.	Pedal Wheel	Rear Wheels	Weight per carton
3630	10-inch	7-inch	41 lbs.
3631	12-inch	8-inch	45 lbs.

VELOCIPEDES

3651 Series

3991 Series

3651-3653

FRAME—1¼ inch tubing, arched type with embossed step plate. 2 inch head.
WHEELS—Wire spoke. Easy-rolling nylon bearing front and rear wheels.
PEDALS—One piece block rubber.
TIRES—1⅛ inch rubber.
EQUIPMENT—¾ inch tubular one-way adjustable handle bar. Fender. Black rubber topped saddle with springs.
FINISH—Maroon, decorated white. Handle bar white. Wheels white.
PACKING—One in carton.

No.	Pedal Wheel	Rear Wheels	Weight per carton
3651	12-inch	8-inch	20 lbs.
3653	16-inch	10-inch	24 lbs.

3991-3993-3995

FRAME—1¼ inch tubing, arched type with embossed step plate. 2 inch head.
WHEELS—Wire spoke with barrel hubs. Easy-rolling Nylon bearing front and rear wheels.
PEDALS—Two piece rubber.
TIRES—Large size puncture-proof semi-pneumatic. 1.50 inch on front wheel and 1.25 inch on rear wheels.
EQUIPMENT—¾ inch tubular one-way adjustable plated handle bar. Rubber topped saddle with coil springs. Bell. Jumbo hub caps. Fender.
FINISH—Red frame, decorated white. Wheels white, striped red.
PACKING—One in carton.

No.	Pedal Wheel	Rear Wheels	Weight per carton
3991	12-inch	8-inch	23 lbs.
3993	16-inch	10-inch	28 lbs.
3995	20-inch	12-inch	31 lbs.

PATENT OFFICE
APR 9 19[illegible]
DESIGN DIVISION

4171 — 4173

"POLICE" Velocipedes 4171 — 4173

FRAME—1¼ inch tubing, arched type with embossed step plate. 2-inch head.
WHEELS—Wire spoke with barrel hubs. Easy-rolling Nylon bearing front and rear wheels.
PEDALS—Two piece rubber.
TIRES—Large size puncture-proof semi-pneumatic 1.50 inch on front wheel and 1.25 inch on rear wheels.
EQUIPMENT—¾ inch tubular one-way adjustable plated handle bar. Rubber topped saddle with coil springs. Jumbo hub caps. Fender. Siren. Large decorated windshield. Flashlite type spot light (Batteries not furnished). Adjustable radio aerial.
FINISH—Black frame, decorated white. Wheels and fender white, striped black.
PACKING—One in carton.

No.	Pedal Wheel	Rear Wheels	Weight per carton
4171	12-inch	8-inch	24 lbs.
4173	16-inch	10-inch	28 lbs.

4151-4153

4151-4153 Delivery Cycle

FRAME—1¼ inch tubing and 2 inch head.
WHEELS—Wire spoke pedal wheel with Nylon bearings. Artillery rear wheels with Chrysler Oilite bearings.
PEDALS—Two piece rubber
TIRES—1⅛ inch rubber.
EQUIPMENT—¾ inch tubular, one way adjustable plated handle bar. Fender. Black padded saddle with springs. Delivery box 4x12x21, made out of wood when steel not available.
FINISH—Red frame with white head. Fender and wheels white, striped red.
PACKING—One in carton.

No.	Pedal Wheel	Rear Wheels	Weight per carton
4151	12-inch	10-inch	27 lbs.
4153	16-inch	10-inch	29 lbs.

4081 Series

PATENT OFFICE
APR 9 1952
DESIGN DIVISION

4081-4083-4085

FRAME—1¼ inch tubing, arched type with embossed step plate. 2 inch head.
WHEELS—Tangent spokes. Ball bearing pedal wheel and rear wheels.
PEDALS—Ball bearing.
TIRES—1¾ inch puncture proof semi-pneumatic. White side walls.
EQUIPMENT—¾ inch two-way adjustable plated handle bar. Fender. Bell. Jumbo hub caps. Rubber top saddle with plated double coil springs.
FINISH—Light green, decorated and striped in white and gold.
PACKING—Pedal wheel assembled in fork for easy assembly. One in carton.

No.	Pedal Wheel	Rear Wheels	Weight per carton
4081	12-inch	8-inch	25 lbs.
4083	16-inch	10-inch	30 lbs.
4085	20-inch	12-inch	34 lbs.

5037

5037

SIZE—Length overall 45 inches. Height overall 28 inches.
FRAME—1¼ inch tubing.
WHEELS—14 inch. Wire spokes with barrel hubs.
PEDALS—Two piece rubber.
TIRES—1.75 inch semi-pneumatic.
EQUIPMENT—Two 5 inch auxiliary wheels on steel arms, which can be removed after child acquires art of balancing. ¾ inch tubular one-way adjustable plated handle bar. Fenders. Bell. Bicycle roller chain and sprocket. Black rubber top saddle with plated coil springs. Chain guard. Reflector on rear fender.
FINISH—Frame maroon, decorated white. Wheels and fenders white, decorated maroon.
PACKING—One in carton.
WEIGHT—33 pounds.

PARK CYCLES

GARTON TOY COMPANY

PATENT OFFICE
APR 9 1952
DESIGN DIVISION

5716



5714

LIBRARY
APR 1 1952
U S PATENT OFFICE

5714

BODY—Length overall 35 inches. Same front as on 5716.
FINISH—Body red, decorated white.
EQUIPMENT—Fire bell with chain.
GEAR—Adjustable pedals.
WHEELS—8 inch disc, with Hercules bearing of cold rolled steel.
TIRES—⅝ inch rubber.
PACKING—One in carton.
WEIGHT—23 pounds.

5716 Police Car

BODY—Length overall 33 inches.
FINISH—White, decorated in black and red.
GEAR—Adjustable pedals.
WHEELS—8 inch disc.
TIRES—⅝ inch rubber.
EQUIPMENT—Siren. Flashlight type spot light. (Batteries not furnished). Adjustable radio aerial.
PACKING—One in carton.
WEIGHT—23 pounds.

AUTOMOBILES

5737

5739

5737 Kidillac "Fire Chief"

Streamlined design, built low for ease of propulsion. Made of one-piece steel, no seams or joints to come apart.

BODY—Length overall 45 inches, width 20 inches.

FINISH—Red, decorated white.

EQUIPMENT—Fire bell with chain.

GEAR—Adjustable pedals.

WHEELS—8 inch disc.

TIRES—5/8 inch rubber.

PACKING—One in carton.

WEIGHT—43 pounds.

5739 Kidillac With Chain Drive Gear

Streamlined design, built low for ease of propulsion. Made of one-piece steel, no seams or joints to come apart.

BODY—Length overall 45 inches, width 20 inches.

FINISH—Blue, decorated white.

GEAR—Speedy, easy to operate, chain drive with two-piece pedals. Ball bearings on rear axle and pedal crank.

WHEELS—8 inch disc.

TIRES—Large 1 1/4 inch rubber.

PACKING—One in carton.

WEIGHT—49 pounds.

5754

PATENT OFFICE
APR 9 1952
DESIGN DIVISION

5754

BODY—Length overall 48 inches.

FINISH—Body red, decorated white. Wood parts natural varnish finish. Wheels white with red stripe, and black stripe near rim.

EQUIPMENT—Fire bell with chain. Fender head lamps. Plated bumper. Plated tubular hand rails. Front and rear seats with step plate at rear. Two ladders.

GEAR—Adjustable pedals.

WHEELS—8 inch disc, with Hercules bearing of cold rolled steel.

TIRES—5/8 inch rubber.

PACKING—One in carton.

WEIGHT—45 pounds.

5805

5815

5805

SIZE—Length 24 inches, height 26 inches.

WHEELS—5 inch disc.

TIRES—½ inch rubber.

EQUIPMENT—Wood footboard.

FINISH—Frame red. Footboard blue. Wheels white, striped red.

PACKING—Six in carton.

WEIGHT—34 pounds per carton.

5815

SIZE—Length 39 inches, height 33 inches.

WHEELS—10 inch artillery with Hercules bearing of cold rolled steel.

TIRES—¾ inch rubber.

EQUIPMENT—Wood footboard. Parking stand. Brake.

FINISH—Frame and footboard red. Wheels white, striped red.

PACKING—Two in carton.

WEIGHT—26 pounds per carton.

Illustration of seat in raised position, as furnished on No. 5868.

5868

PATENT OFFICE

APR 9 1952

DESIGN DIVISION

5831

5831

SIZE—Length 39 inches, height 33 inches.

WHEELS—10 inch artillery with Chrysler Oilite bearings.

TIRES—1 inch rubber.

EQUIPMENT—Wood footboard. Fender. Brake. Tubular steel handle with rubber grips. Parking stand.

FINISH—Frame white, decorated red. Handle red. Footboard two-tone, white center, red outside. Fender and wheels red, decorated white.

PACKING—One in carton.

WEIGHT—16 pounds.

5868

SIZE—Length 39 inches, height 33 inches.

WHEELS—10 inch artillery, with easy-rolling Nylon bearing.

TIRES—1.75 inch puncture proof semi-pneumatic.

EQUIPMENT—Wood footboard with patented folding seat. Fender. Brake. Tubular steel handle with rubber grips. Parking stand.

FINISH—Frame, wheels and fender red. Handle bar, decorations and wheel rims white. Footboard and seat black.

PACKING—One in carton.

WEIGHT—19 pounds.

6085

6085

BODY—Length 25", Width 19", Height 17". Seat made of seasoned lumber, finished white. Metal back of seat finished white with red decorations.

HANDLE—Push type adjustable tubular steel handle, riveted to rigid steel attaching arms, in which a luggage carrier is incorporated. Finished in red. Detachable.

WHEELS—Front wheels 5" disc. Rear wheels 7" disc for ease in going down curbings. All wheels finished white with red stripe and equipped with easy rolling Nylon bearings and 5/8" extruded tiring.

GEAR—New tubular design. Light but extremely sturdy. Finished red.

EQUIPMENT—Removable foot pan finished red. Tray. Beads. Rubber front bumper.

PACKED—One per carton. Assembled except for wheels, push handle, bumper and foot pan.

WEIGHT—21 pounds.

BABY WALKERS

GARTON TOY COMPANY



Magnified view of curled runner end as furnished on Garton sleds 7436, 7440, 7445 and 7450.

7436-7440-7445-7450



7200 Guard Only

PATENT OFFICE
APR 9 1957
DESIGN DIVISION

7200 Sled Guard

SIZE—Length 14 inches, width 13 inches, height 9½ inches.

CONSTRUCTION—Collapsible to fit any sled our make. Made of seasoned hardwood and heavy gauge strip steel.

FINISH—Wood parts varnished natural. Steel strip enameled in red.

PACKING—½ dozen in carton.

WEIGHT—21 pounds per carton.

7436-7440-7445-7450 Eskimo Sleds

UNDERGEAR—Streamlined, rear of sled lower than front. "T" shaped grooved runners of best crucible steel, with curled runner ends, an added safety feature. Knees of heavy gauge stamped steel.

HEIGHT—7 inches at front, 5½ inches at rear.

TOPS—Seasoned clear grained hardwood. Streamlined steering bar and steering bar holder.

FINISH—Top varnished natural with decorations in red and blue. Runners finished bright red.

PACKING—Two in bundle.

No.	Length	Number of knees	Weight per dozen
7436	36-inches	4	84 lbs.
7440	40-inches	4	90 lbs.
7445	45-inches	4	102 lbs.
7450	50-inches	6	120 lbs.

.....SLEDS



8240-8245-8250

8240-8245-8250 Deluxe Sleds

UNDERGEAR—Streamlined, rear of sled lower than front. Improved construction affords easy steering. "T" shaped grooved runners of best crucible steel. Closed runner ends for safety purposes and streamlined appearance. Knees of heavy gauge stamped steel.

HEIGHT—7 inches at front, 6 inches at rear.

TOP—Seasoned clear grained select hardwood. Streamlined steering bar and steering bar holder. Extra heavy side rails. Tops strongly braced and fastened with screws, not nailed.

FINISH—Top varnished natural with decorations in blue and red. Runners and metal parts finished in red and blue.

PACKING—Two in a bundle.

No.	Length	Number of knees	Weight per dozen
8240	40-inches	4	114 lbs.
8245	45-inches	6	132 lbs.
8250	50-inches	6	144 lbs.

PATENT OFFICE
APR 9 1952
DESIGN DIVISION

RETURN TO
DESIGN DIV.

PATENT OFFICE
APR 9 1952
DESIGN DIVISION

MEMBER OF
TOY M'F'R S. U.S.A.
TRADE MARK
AMERICAN TOYS

PATENT OFFICE
APR 9 1952
DESIGN DIVISION

RETURN TO
DESIGN DIV.

GARTON BRANCH OFFICES AND SHOWROOMS:

Main Office
Sheboygan, Wisconsin

NEW YORK
1107 Broadway
Space 407

SAN FRANCISCO
Standard Toy Agencies
718 Mission Street

DALLAS
D. D. Otstott
Santa Fe Bldg.

CHICAGO
Merchandise Mart
Space 1424

CINCINNATI
J. G. Frommeyer
1125 Lois Drive

SEATTLE
Ward Francis
Terminal Sales Bldg.

DENVER
Kenneth J. Dahm Co.
514-515 Mercantile Bldg.

RETURN TO
DESIGN DIV.

Printed in U. S. of A.
The North American Press
Milwaukee 1, Wisconsin